

## CHLORINE LOG SHEET

Facility Name: \_\_\_\_\_ Pool / Spa / Wading / Spray

Week Beginning Monday, \_\_\_\_\_, 20\_\_

**MAIN DRAINS MUST BE CLEARLY VISIBLE AT ALL TIMES WHEN THE POOL IS OPEN**

Total alkalinity must be recorded at least once a **week** Date: \_\_\_\_\_ ppm: \_\_\_\_\_

Filters Backwashed Date: \_\_\_\_\_ Pool Superchlorinated as needed Date: \_\_\_\_\_

Spa must be drained and cleaned **weekly** Date: \_\_\_\_\_

Cyanuric acid (**outdoor pools only**) must be recorded weekly Date: \_\_\_\_\_ ppm: \_\_\_\_\_

**Required Chlorine Levels** Pool 1 - 2.5 ppm Spa 2 - 3 ppm with Cyanric Acid 1.5 - 2.5 ppm

**Combined Chlorine 0 - 0.2 ppm pH 7.2 - 7.8 Total Alkalinty 50 - 180 ppm**

		Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
<b>Pre Opening</b>	Free Chlorine							
	Combined Chlorine							
	pH							
	Flow Meter Reading							
	Water Temperature							
	Time							
	Initials							
<b>Morning</b>	Free Chlorine							
	Combined Chlorine							
	pH							
	Time							
	Initials							
<b>Midday</b>	Free Chlorine							
	Combined Chlorine							
	pH							
	Time							
	Initials							
<b>Afternoon</b>	Free Chlorine							
	Combined Chlorine							
	pH							
	Time							
	Initials							
<b>Closing</b>	Free Chlorine							
	Combined Chlorine							
	pH							
	Time							
	Initials							
<b>Chemicals Added &amp; Notes</b>								